

# **MOTORCYCLE GEAR OIL**



**Technical Data Sheet** 

# **REVPURE GL-4 80W-90**

#### **PRODUCT DESCRIPTION:**

RevPure GL-4 80W-90 is a high-performance, high-pressure gear oil blended from selected base oils and multifunctional additives. This oil is suitable for a wide range of drives and transmissions. A high load-carrying capacity guarantees optimum gearbox lubrication even at high temperatures.

### APPLICATION:

For transmissions and final drives with normal to high loading.

#### FEATURES & BENEFITS:

- Excellent resistance to aging.
- · High-pressure absorption capability.
  - Reduces transmission noise.

### PERFORMANCE LEVELS: Meets or Exceeds:

- API GL-4
- MIL-L 2105

### **TYPICAL PROPERTIES:**

- · Excellent viscosity/temperature properties.
- · Does not attack common sealing materials.

PARAMETERS	ASIM	UNIT	REVPURE GL-4
Grade			80W-90
Kinematic Viscosity @ 104°F /40°C	D-7042	cSt	TBR
Kinematic Viscosity @ 212°F /100°C	D-7042	cSt	14.8
Viscosity Index	D-2270	-	145
SP. Gravity @15°C/ 60°F	D-4052	g/cm3	TBR
Flash Point (min)	D-92	°C	220
Pour Point (max)	D-97	°C	-27
Brookfield Viscosity @-26	D-2983	mPas	<150,000

## HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil into drains or the environment. Dispose to an authorized used oil collection point.

#### HEALTH & SAFETY:

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained.

#### PROTECT THE ENVIRONMENT:

Take used oil to an authorized collection point. Comply with local regulation. Do not discharge into drains, soil or water.

#### STORAGE:

We recommend storing all packages under cover. In case outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should never be stored above 60°C, exposed to hot sun or freezing conditions.

™ Trademark of LUBREX, registered in various countries © 2005

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which LUBREX and its affiliates assume legal responsibility.