



OCTANE BOOSTER

Performance-boosting additive for all gasoline and gasoline/ethanol blended automotive fuels. Helps compensate for below average fuel quality. Octane Booster Increases RON of whatever base fuel it is added to, additional injector cleaning helps stop Octane Reduction Potential which allows for improved engine response. Safe for turbo, oxygen sensors and catalytic converters.

APPLICATION:


- Recommend in use of all gas naturally aspirated engines
- Gas turbo engines
- Gas supercharged engines
- Excellent for racing applications

FEATURES & BENEFITS:

- Increase RON by 1-2 numbers
- Helps reduce engine knocks
- Effective in all grades of gasoline
- Helps improve combustion and fuel economy
- Protects from corrosion
- Prevents injector deposits
- No harmful alcohols
- No environmentally harmful dyes
- Contains MMT technology

DIRECTIONS:

DO NOT EXPOSE TO SUNLIGHT. Pour entire contents of bottle into gas tank. One bottle treats up to 20 gallons (75.71 Liters) of fuel. Do not spill on paint or fiberglass. Store unused product indoors above 50F
For racing use: add 2 bottles to 10 gallons of gas



HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website www.lubrex.net

HEALTH & SAFETY:

This product is not likely to present any significant health or safety hazards when properly used in the recommended application and good standards of personal hygiene are maintained. Reference is made to the Safety Data Sheet (SDS) which is available on request via your local sales office or via the internet www.lubrex.net

PROTECT THE ENVIRONMENT

Take used oil to an authorized collection point. Comply with local regulation. Do not discharge into drains, soil or water.

STORAGE:

We recommend to store all packages under cover. In case outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should never be stored above 60°C, exposed to hot sun or freezing conditions.

™ Trademark of LUBREX, registered in various countries © 2005

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which LUBREX and its affiliates assume legal responsibility.